

mlxup - Mellanox Firmware Utility

User Guide

Rev 1.4

NOTE:

THIS HARDWARE, SOFTWARE OR TEST SUITE PRODUCT ("PRODUCT(S)") AND ITS RELATED DOCUMENTATION ARE PROVIDED BY MELLANOX TECHNOLOGIES "AS-IS" WITH ALL FAULTS OF ANY KIND AND SOLELY FOR THE PURPOSE OF AIDING THE CUSTOMER IN TESTING APPLICATIONS THAT USE THE PRODUCTS IN DESIGNATED SOLUTIONS. THE CUSTOMER'S MANUFACTURING TEST ENVIRONMENT HAS NOT MET THE STANDARDS SET BY MELLANOX TECHNOLOGIES TO FULLY QUALIFY THE PRODUCT(S) AND/OR THE SYSTEM USING IT. THEREFORE, MELLANOX TECHNOLOGIES CANNOT AND DOES NOT GUARANTEE OR WARRANT THAT THE PRODUCTS WILL OPERATE WITH THE HIGHEST QUALITY. ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT ARE DISCLAIMED. IN NO EVENT SHALL MELLANOX BE LIABLE TO CUSTOMER OR ANY THIRD PARTIES FOR ANY DIRECT, INDIRECT, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES OF ANY KIND (INCLUDING, BUT NOT LIMITED TO, PAYMENT FOR PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY FROM THE USE OF THE PRODUCT(S) AND RELATED DOCUMENTATION EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.



Mellanox Technologies
350 Oakmead Parkway Suite 100
Sunnyvale, CA 94085
U.S.A.
www.mellanox.com
Tel: (408) 970-3400
Fax: (408) 970-3403

© Copyright 2016. Mellanox Technologies Ltd. All Rights Reserved.

Mellanox®, Mellanox logo, Accelio®, BridgeX®, CloudX logo, CompustorX®, Connect-IB®, ConnectX®, CoolBox®, CORE-Direct®, EZchip®, EZchip logo, EZappliance®, EZdesign®, EZdriver®, EZsystem®, GPUDirect®, InfiniHost®, InfiniBridge®, InfiniScale®, Kotura®, Kotura logo, Mellanox CloudRack®, Mellanox CloudXMellanox®, Mellanox Federal Systems®, Mellanox HostDirect®, Mellanox Multi-Host®, Mellanox Open Ethernet®, Mellanox OpenCloud®, Mellanox OpenCloud Logo®, Mellanox PeerDirect®, Mellanox ScalableHPC®, Mellanox StorageX®, Mellanox TuneX®, Mellanox Connect Accelerate Outperform logo, Mellanox Virtual Modular Switch®, MetroDX®, MetroX®, MLNX-OS®, NP-1c®, NP-2®, NP-3®, Open Ethernet logo, PhyX®, PlatformX®, PSIPHY®, SiPhy®, StoreX®, SwitchX®, Tiler®, Tiler logo, TestX®, TuneX®, The Generation of Open Ethernet logo, UFM®, Unbreakable Link®, Virtual Protocol Interconnect®, Voltaire® and Voltaire logo are registered trademarks of Mellanox Technologies, Ltd.

All other trademarks are property of their respective owners.

For the most updated list of Mellanox trademarks, visit <http://www.mellanox.com/page/trademarks>

Table of Contents

Document Revision History	6
1 Overview	7
1.1 Downloading mlxup	7
1.2 mlxup Synopsis.....	7
1.3 Updating Firmware	8
1.3.1 Querying for Adapters.....	8
1.3.2 Updating Firmware Using an Embedded Image.....	9
1.3.3 Updating Firmware Using a Specific Image	10
1.3.4 Updating Firmware from a Directory.....	11
1.3.5 Online Firmware Update.....	11
2 Frequently Asked Questions (FAQ)	12

List of Figures

Figure 1: Single Adapter Update Specification.....	9
Figure 2: Embedded Firmware Image - Single Adapter.....	9
Figure 3: Embedded Firmware Image - Multiple Adapters.....	10
Figure 4: Updating Firmware Using a Specific Image.....	10
Figure 5: Updating from a Directory	11
Figure 6: Online Firmware Update	11

List of Tables

Table 1: Document Revision History	6
--	---

Document Revision History

Table 1: Document Revision History

Revision	Date	Description
1.4	November 24, 2016	No changes were made to this version.
1.3	June 2016	No changes were made to this version.
1.2	March 2016	No changes were made to this version.
1.1	October 2015	Updated the following sections: <ul style="list-style-type: none">• 1.1• 1.3.2
1.0	August 2015	First release

1 Overview

mlxup is a Mellanox firmware update and query utility used to update the firmware on each relevant adapter.

mlxup can use a firmware binary image placed at one of the following locations:

1. Embedded in the mlxup utility (default)
2. At an exact user-specified path to the image file (--image-file flag)
3. In a user-specified directory which may contain more than a single binary (--image-dir flag)
4. On www.mellanox.com that the utility accesses online

1.1 Downloading mlxup

Download the utility from the mlxup Download Center available at www.mellanox.com > Products > Software > Firmware Utilities.

The utility is a binary executable that does not require installation.



NOTE: In Linux and FreeBSD: Downloading mlxup using the wget application removes file attributes, therefore, there is a need to add execute permission by running:

```
chmod +x mlxup
```

1.2 mlxup Synopsis

```
mlxup [options]
```

mlxup Usage Options:

```
-d|--dev <DeviceName>      Perform operation for specified PCI (using the
                             format <Bus>:<Device>.<Function>) or IB
                             device(s).
                             Multiple devices can be specified delimited by
                             semicolons.
                             A device list containing semicolons must be
                             quoted.

-h|--help                  Show this message and exit

-v|--version               Show the executable version and exit

--query                   Query device(s) info

--query-format Format      Query | Online query) output format, XML | Text -
                             default Text

-u|--update               Update firmware image(s) on the device(s)

-i|--image-file FileName   Specified image file to use

-D|--image-dir DirectoryName Specified directory instead of default to locate
                             image files

-f|--force                Force image update
```

<code>-y --yes</code>	Answer is yes in prompts
<code>--no</code>	Answer is no in prompts
<code>--clear-semaphore</code>	Force clear the flash semaphore on the device, No command is allowed when this flag is used. NOTE: May result in system instability or flash corruption if the device or another application is currently using the flash. Exercise caution.
<code>--exe-rel-path</code>	Use paths relative to the location of the executable
<code>--log</code>	Create log file
<code>-L --log-file LogFileName</code>	Use specified log file
<code>--no-progress</code>	Do not show progress
<code>-o --outfile OutputFileName</code>	Write to specified output file
<code>--online</code>	Fetch required FW images online from Mellanox server
<code>--online-query-psid PSIDs</code>	Query FW info, PSID(s) are comma separated
<code>--key key</code>	Key for custom download/update
<code>--download DirectoryName</code>	Download files from server to a specified directory
<code>--download-default</code>	Use Default values for download
<code>--download-device Device</code>	Options are: ConnectX, Connect-IB, ConnectX-4 - default All
<code>--download-os OS</code>	FBSD10_1_64, FBSD11_64 - default All
<code>--download-type Type</code>	MFA self_extractor - default All
<code>--ssl-certificate Certificate</code>	SSL certificate For secure connection
<code>--sfx-extract-dir <dir></code>	Use <dir> for temporary files during execution

1.3 Updating Firmware

1.3.1 Querying for Adapters

In order to query for all installed Mellanox adapters, run the following command:

```
# mlxup --query
```

The above command provides query results about each found adapter device in text and XML format.



NOTE: By default, running the firmware update command using `mlxup` will update firmware for all Mellanox adapters on the machine. However, you can use the `'-d <PCI Device Name>'` option to specify a single adapter for update (see figure [Figure 1](#) below).

Figure 1: Single Adapter Update Specification

```
# ./mlxup -d 0000:0b:00.0
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3
Part Number:     MCX354A-FCB_A2-A5
Description:     ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:           MT_1090120019
PCI Device Name: 0000:0b:00.0
Port1 GUID:     f45214030001b8a1
Port2 GUID:     f45214030001b8a2
Versions:
  Current      Available
FW            2.32.5506   2.34.5000
PXE          3.4.0460   3.4.0521

Status:         Update required

-----
Found 1 device(s) requiring firmware update...

Perform FW update? [y/N]: y
Device #1: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup -20150810_151330_852.log
```

1.3.2 Updating Firmware Using an Embedded Image

By default, `mlxup` updates the firmware of all Mellanox adapter cards installed on your machine. The utility first queries for available devices and indicates whether an update is required. Then it prompts the user to confirm or reject the firmware update. [Figure 2](#) and [Figure 3](#) below illustrate the performed steps.



NOTE: In order to load firmware on ConnectX-4, ConnectX-4 Lx and Connect-IB, a reboot must be performed after upgrading the firmware.

Figure 2: Embedded Firmware Image - Single Adapter

```
# ./mlxup
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3
Part Number:     MCX354A-FCB_A2-A5
Description:     ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:           MT_1090120019
PCI Device Name: 0000:0b:00.0
Port1 GUID:     f45214030001b8a1
Port2 GUID:     f45214030001b8a2
Versions:
  Current      Available
FW            2.32.5506   2.34.5000

Status:         Update required

-----
Found 1 device(s) requiring firmware update...

Perform FW update? [y/N]: y
Device #1: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup -20150810_133418_29347.log
```

Figure 3: Embedded Firmware Image - Multiple Adapters

```

./mlxup
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3Pro
Part Number:      MCX354A-FCC_Ax
Description:      ConnectX-3 Pro VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:             MT_1090111019
PCI Device Name:  0000:13:00.0
Port1 GUID:       f45214030001db11
Port2 GUID:       f45214030001db12
Versions:         Current    Available
FW                2.34.1250    2.34.5000

Status:           Update required

Device #2:
-----
Device Type:      ConnectX3
Part Number:      MCX354A-FCB_A1_A2-A5
Description:      ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:             MT_1090120019
PCI Device Name:  0000:1b:00.0
Port1 GUID:       0002c90300e6e511
Port2 GUID:       0002c90300e6e512
Versions:         Current    Available
FW                2.33.5100    2.34.5000

Status:           Update required

-----
Found 2 device(s) requiring firmware update...

Perform FW update? [y/N]: y
Device #1: Updating FW ... Done
Device #2: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup-20150823_184954_2651.log

```

1.3.3 Updating Firmware Using a Specific Image

In order to update the firmware of all Mellanox adapter cards using a specific firmware image, run the following command:

```
# mlxup -i <file path>
```

Figure 4: Updating Firmware Using a Specific Image

```

# ls -ltr /tmp/Mellanox_FW/
total 712
-rw-r--r-- 1 root root 722520 Aug  4 17:32 fw-2_34_5000.mfa
# ./mlxup -i /tmp/Mellanox_FW/fw-2_34_5000.mfa
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3
Part Number:      MCX354A-FCB_A2-A5
Description:      ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:             MT_1090120019
PCI Device Name:  0000:0b:00.0
Port1 GUID:       f45214030001b8a1
Port2 GUID:       f45214030001b8a2
Versions:         Current    Available
FW                2.32.5506    2.34.5000

Status:           Update required

-----
Found 1 device(s) requiring firmware update...

Perform FW update? [y/N]: y
Device #1: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup -20150810_140032_30613.log

```

1.3.4 Updating Firmware from a Directory

In order to update the firmware of all Mellanox adapter cards using firmware images located under a specific directory, run the following command:

```
# mlxup -D <directory path>
```

Figure 5: Updating from a Directory

```
# ls -ltr /tmp/Mellanox_FWs/
total 4840
-rw-r--r-- 1 root root 722520 Aug  4 17:32 fw-ConnectX3-rel-2_34_5000.bin
-rw-r--r-- 1 root root 729440 Aug 10 14:26 fw-ConnectX3Pro-rel-2_34_5000-MCX366A-BCC_Ax.bin
-rw-r--r-- 1 root root 830868 Aug 10 14:26 fw-ConnectX3-rel-2_34_5000-MCX354A-FCC_Ax.bin
-rw-r--r-- 1 root root 975408 Aug 10 14:26 fw-ConnectX3-rel-2_34_5000-MCX342A-XCQ_Ax.bin
-rw-r--r-- 1 root root 830876 Aug 10 14:27 fw-ConnectX3-rel-2_34_5000-MCX314A-BCC_Ax.bin
-rw-r--r-- 1 root root 830092 Aug 10 14:27 fw-ConnectX3-rel-2_34_5000-MCX311A-XCC_Ax.bin
# ./mlxup -D /tmp/Mellanox_FWs/
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3
Part Number:     MCX354A-FCB_A2-A5
Description:     ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:           MT_1090120019
PCI Device Name: 0000:0b:00.0
Port1 GUID:     f45214030001b8a1
Port2 GUID:     f45214030001b8a2
Versions:       Current    Available
FW              2.32.5506    2.34.5000

Status:         Update required

-----
Found 1 device(s) requiring firmware update...

Perform FW update? [y/N]: y
Device #1: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup -20150810 143222 31951.log
```

1.3.5 Online Firmware Update

mlxup can also update the device using the latest firmware published on www.mellanox.com. In order to complete the update online, run the following command:

```
# mlxup -online
```

Figure 6: Online Firmware Update

```
# ./mlxup -online
Querying Mellanox devices firmware ...

Device #1:
-----
Device Type:      ConnectX3
Part Number:     MCX354A-FCB_A2-A5
Description:     ConnectX-3 VPI adapter card; dual-port QSFP; FDR IB (56Gb/s) and 40GigE; PCIe3.0 x8 8GT/s; RoHS R6
PSID:           MT_1090120019
PCI Device Name: 0000:0b:00.0
Port1 GUID:     f45214030001b8a1
Port2 GUID:     f45214030001b8a2
Versions:       Current    Available
FW              2.32.5506    2.33.5000

Status:         Update required

Release notes for the available Firmware:
-----
Version 2.33.5000 contains the following features/bug fixes:
1- Virtual QoS support.
2- RX buffer optimizations for DSCP mode.
3- SMBUS ARP support.
4- RDMA Retransmission optimization.
5- NVCONFIG: UAR BAR change support.
6- Sideband connectivity improvements (IPMI, NCSI).

For full list of features and bug fixes please see full release notes at:

ConnectX3: http://www.mellanox.com/pdf/firmware/ConnectX3-FW-2_33_5000-release_notes.pdf
ConnectX3Pro: http://www.mellanox.com/pdf/firmware/ConnectX3Pro-FW-2_33_5000-release_notes.pdf

-----
Found 1 device(s) requiring firmware update...

Perform FW update? [y/N]: y

Please wait while downloading MFA(s) 100%
Device #1: Updating FW ... Done

Restart needed for updates to take effect.
Log File: /var/log/mlxup/mlxup -20150810 144605 32121.log
```

2 Frequently Asked Questions (FAQ)

➤ ***What is the connection between MFT tools and mlxup?***

mlxup is a self-extracting executable that contains a set of Mellanox firmware binary images and the mlxfwmanager tool with limited features. mlxfwmanager is part of the MFT package.

For further information on how to generate mlxup, please refer to the “Update Package for Mellanox Firmware” section in MFT User Manual.

➤ ***Why can't mlxup recognize my card?***

This may occur for two reasons:

- The mlxup version might not be the latest and therefore does not support this specific card type. In this case, an mlxup update is required.
- The device might not be working properly, therefore it might not be listed in the PCI devices list. In this case, device functionality needs to be verified.

➤ ***Why does the available firmware version on my server appear as “N/A”?***

mlxup might not contain a firmware suitable for the card you are attempting to update. In this case, you may get the latest mlxup version by running `mlxup -online` or using any of the methods explained above.

➤ ***“Device FW is up to date” message popped up while I was trying to burn the device. What does it mean?***

This means that the firmware version in the mlxup package is older or identical to the current firmware version on the device. In this case, you can force the burning by using the “--force” flag.

➤ ***“Failed to open device” message popped up while I was trying to query/burn the device. What does it mean?***

This means that there was a failure in the -read from the PCI device. To resolve the issue, try to reboot the system.